

**Provincial Priority Invasive Species BC Inter-Ministry Invasive Species Working Group as of
March 2021**

Invasive species are prioritized at a Provincial scale using a science-based risk assessment process. Management actions are further determined based on these priorities at a both Provincial and Regional scale and depending on available resources and treatment methods. The management categories presented below have been developed by the BC Inter-Ministry Invasive Species Working Group and the Provincial Government's Invasive Species Specialists. The invasive species are presented in management categories based on a Provincial scale, and do not take into consideration local or regional criteria. The list does not include marine species

Common name	Genus	Species	
African rue	<i>Peganium</i>	<i>harmala</i>	Provincial EDRR
Black henbane	<i>Hyoscyamus</i>	<i>niger</i>	Provincial EDRR
Blueweed	<i>Echium</i>	<i>vulgare</i>	Regional Containment/Control
Brazilian elodea/Waterweed	<i>Egeria</i>	<i>densa</i>	Provincial EDRR
Bur chervil	<i>Anthriscus</i>	<i>caucalis</i>	Management
Camelthorn	<i>Alhagi</i>	<i>maurorum</i>	Prevent
Carpet burweed	<i>Salvia</i>	<i>sessilis</i>	Management
Clary sage	<i>Salvia</i>	<i>sclarea</i>	Prevent
Common bugloss	<i>Anchusa</i>	<i>officinalis</i>	Regional Containment/Control
Common crupina	<i>Crupina</i>	<i>vulgaris</i>	Prevent
Common tansy	<i>Tanacetum</i>	<i>vulgare</i>	Regional Containment/Control
Cordgrass, Common/English	<i>Spartina</i>	<i>anglica</i>	Provincial EDRR
Cordgrass, dense-flower	<i>Spartina</i>	<i>densiflora</i>	Provincial EDRR
Cordgrass, salt meadow	<i>Spartina</i>	<i>patens</i>	Provincial EDRR
Cordgrass, Smooth	<i>Spartina</i>	<i>alterniflora</i>	Prevent
Cypress spurge	<i>Euphorbia</i>	<i>cyparissias</i>	Management
Dyer's woad	<i>Isatis</i>	<i>tinctoria</i>	Provincial EDRR
Eggleaf spurge	<i>Euphorbia</i>	<i>oblongata</i>	Prevent
Eurasian watermilfoil	<i>Myriophyllum</i>	<i>spicatum</i>	Management
European common reed	<i>Phragmites</i>	<i>australis</i>	Provincial EDRR
Field scabious	<i>Knautia</i>	<i>arvensis</i>	Regional Containment/Control
Flowering rush	<i>Butomus</i>	<i>umbellatus</i>	Provincial EDRR
Garlic mustard	<i>Alliaria</i>	<i>petiolata</i>	Provincial Containment
Giant hogweed	<i>Hieracium</i>	<i>mantegazzianum</i>	Provincial Containment
Giant reed	<i>Arundo</i>	<i>donax</i>	Provincial EDRR
Goatsrue	<i>Galega</i>	<i>officinalis</i>	Prevent
Gorse	<i>Ulex</i>	<i>europaeus</i>	Management
Halogeton/Saltlover	<i>Halogeton</i>	<i>glomeratus</i>	Prevent
Himalayan blackberry	<i>Rubus</i>	<i>armeniacus</i>	Regional Containment/Control
Himalayan knotweed	<i>Persicaria</i>	<i>wallichii</i>	Regional Containment/Control
Hoary alyssum	<i>Berteroa</i>	<i>incana</i>	Regional Containment/Control
Hoary cress	<i>Cardaria</i>	<i>draba</i>	Regional Containment/Control
Hydrilla	<i>Hydrilla</i>	<i>verticillata</i>	Prevent
Iberian starthistle	<i>Centaurea</i>	<i>iberica</i>	Prevent
Invasive yellow hawkweeds	<i>Hieracium</i>	<i>spp.</i>	Management
Italian thistle	<i>Carduus</i>	<i>pycnocephalus</i>	Prevent
Johnsongrass	<i>Sorghum</i>	<i>holepense</i>	Prevent
Jointed goatgrass	<i>Aegilops</i>	<i>cylindrica</i>	Provincial EDRR
Knotweeds (Japanese, Giant and Bohemian)*	<i>Fallopia, Reynoutria & Polygonum</i>	<i>spp.</i>	Regional Containment/Control
Kudzu	<i>Pueraria</i>	<i>montana var. lobata</i>	Prevent
Leafy spurge	<i>Euphorbia</i>	<i>esula</i>	Regional Containment/Control
Longspine Sandbur	<i>Cenchrus</i>	<i>longispinus</i>	Management
Maltese star thistle	<i>Centaurea</i>	<i>mellitensis</i>	Provincial EDRR
Marsh plume thistle	<i>Cirsium</i>	<i>palustre</i>	Regional Containment/Control
Meadow clary	<i>Salvia</i>	<i>pratensis</i>	Prevent
Mediterranean sage	<i>Salvia</i>	<i>aethiopsis</i>	Prevent
Medusahead	<i>Taeniatherum</i>	<i>caput-medusae</i>	Prevent
Mountain bluet	<i>Centaurea</i>	<i>montana</i>	Management
Mouse-ear hawkweed	<i>Hieracium</i>	<i>pilosella</i>	Provincial EDRR
North Africa grass	<i>Ventenata</i>	<i>dubia</i>	Provincial Containment
Orange hawkweed	<i>Hieracium</i>	<i>aurantiacum</i>	Regional Containment/Control
Perennial pepperweed	<i>Lepidium</i>	<i>latifolium</i>	Provincial EDRR
Poison hemlock	<i>Conium</i>	<i>maculatum</i>	Provincial Containment
Policeman's helmet/Himalayan balsam	<i>Impatiens</i>	<i>glandulifera</i>	Regional Containment/Control
Puncturevine	<i>Tribulus</i>	<i>terrestris</i>	Regional Containment/Control
Purple loosestrife	<i>Lythrum</i>	<i>salicaria</i>	Management
Purple nutsedge	<i>Cyperus</i>	<i>rotundus</i>	Prevent
Purple starthistle	<i>Centaurea</i>	<i>calcitrapa</i>	Prevent
Red bartsia	<i>Odonites</i>	<i>serotina</i>	Prevent
Rush skeletonweed	<i>Chondrilla</i>	<i>juncea</i>	Provincial Containment
Scentless chamomile	<i>Tripleurospermum</i>	<i>inodorum</i>	Management
Scotch broom	<i>Cytisus</i>	<i>scoparius</i>	Regional Containment/Control
Scotch thistle	<i>Onopordum</i>	<i>acanthium</i>	Management
Shiny geranium	<i>Geranium</i>	<i>lucidum</i>	Provincial EDRR
Silverleaf nightshade	<i>Solanum</i>	<i>elaeagnifolium</i>	Prevent
Slender false-brome	<i>Brachypodium</i>	<i>sylvaticum</i>	Provincial EDRR
Slender/Meadow foxtail	<i>Alopecurus</i>	<i>myosuroides</i>	Prevent
Slenderflower thistle	<i>Carduus</i>	<i>tenufflorus</i>	Prevent
Spotted knapweed	<i>Centaurea</i>	<i>stoebe</i>	Regional Containment/Control
Spring milletgrass	<i>Milium</i>	<i>vernale</i>	Prevent
Spurge flax	<i>Thymelaea</i>	<i>passerina</i>	Prevent
Spurge laurel	<i>Daphne</i>	<i>laureola</i>	Management
Squarrose knapweed	<i>Centaurea</i>	<i>virgata ssp. squarrosa</i>	Prevent
Sulphur cinquefoil	<i>Potentilla</i>	<i>recta</i>	Management
Sweet fennel	<i>Foeniculum</i>	<i>vulgare</i>	Management
Syrian bean-caper	<i>Zygophyllum</i>	<i>fabago</i>	Prevent
Tansy ragwort	<i>Jacobaea</i>	<i>vulgaris</i>	Management
Teasel	<i>Dipsacus</i>	<i>fullonum</i>	Regional Containment/Control
Texas blueweed	<i>Helianthus</i>	<i>ciliaris</i>	Prevent
Water hyacinth	<i>Eichhornia</i>	<i>crassipes</i>	Provincial EDRR
Water lettuce	<i>Pistia</i>	<i>stratiotes</i>	Provincial EDRR
Water soldier	<i>Stratiotes</i>	<i>aloides</i>	Prevent
Whiplash hawkweed	<i>Hieracium</i>	<i>flagellare</i>	Regional Containment/Control
Wild chervil	<i>Anthriscus</i>	<i>sylvestris</i>	Provincial Containment
Wild parsnip	<i>Pastinaca</i>	<i>sativa</i>	Provincial Containment
Yellow archangel	<i>Lamium</i>	<i>galeobdolon</i>	Regional Containment/Control
Yellow flag iris	<i>Iris</i>	<i>pseudacarus</i>	Regional Containment/Control
Yellow floating heart	<i>Nymphoides</i>	<i>peltata</i>	Provincial EDRR
Yellow starthistle	<i>Centaurea</i>	<i>solstitialis</i>	Prevent

NWIPC Invasive Plant List

Common name	Genus species
Annual hawkbeard - Watch list	<i>Crepis tectorum</i>
Baby's-breath - Category 2	<i>Gypsophila paniculata</i>
Bachelor's button - Category 2	<i>Centura cyanus</i>
Bighead knapweed - Category 1	<i>Centaurea macrocephala</i>
Bishop's Goutweed - Category 3	<i>Aegopodium podagraria</i>
Black knapweed - 1	<i>Centaurea nigra</i>
Bladder campion - WL	<i>Silene cucubalus</i>
Blueweed - 1	<i>Echium vulgare</i>
Knotweeds - 1	<i>Fallopia x bohemica</i>
Brown knapweed - 1	<i>Centaurea jacea</i>
Bull thistle -WL	<i>Cirsium vulgare</i>
Camel thorn	<i>Vachellia erioloba</i>
Canada thistle	<i>Cirsium arvense</i>
Chicory	<i>Cichorium intybus</i>
Chilean tarweed	<i>Madia sativa</i>
Common bugloss	<i>Anchusa officinalis</i>
Common burdock	<i>Arctium minus</i>
Common comfrey	<i>Symphytum officinale L.</i>
Common periwinkle	<i>Littorina littorea</i>
Common tansy	<i>Tanacetum vulgare</i>
Creeping buttercup	<i>Ranunculus repens</i>
Cudweed	<i>Gamochoaeta spp</i>
Curled dock	<i>Rumex crispus L</i>
Cutleaf blackberry	<i>Rubus laciniatus</i>
Cypress spurge	<i>Euphorbia cyparissias</i>
Dalmatian toadflax	<i>Linaria dalmatica</i>
Dames rocket	<i>Hesperis matronalis</i>
Diffuse knapweed	<i>Centaurea diffusa</i>
Dodder	<i>Cuscuta cephalanthi</i>
English Holly	<i>Ilex aquifolium</i>
English ivy	<i>Hedera helix</i>
Eyebright	<i>Euphrasia officinalis</i>
Field Bindweed	<i>Convolvulus arvensis</i>
Field scabious	<i>Knautia arvensis</i>
Garden yellow loosestrife	<i>Lysimachia vulgaris</i>
Giant Hogweed	<i>Heracleum mantegazzianum</i>
Giant knotweed	<i>Fallopia sachalinensis</i>
Gorse	<i>Ulex europaeus</i>
Greater knapweed	<i>Centaurea scabiosa</i>
Green foxtail	<i>Setaria viridis</i>
Groundsel	<i>Senecio vulgaris</i>
Hairy cat's-ear	<i>Hypochaeris radicata</i>
Himalayan blackberry	<i>Rubus discolor</i>
Himalayan knotweed	<i>Persicaria wallichii</i>
Hoary alyssum	<i>Berteroa incana</i>
Hounds-tongue	<i>Cynoglossum officinale</i>
Japanese butterbur	<i>Petasites japonicus</i>
Japanese knotweed	<i>Fallopia japonica</i>
Kochia	
Large yellow loosestrife	<i>Lysimachia punctata L</i>
Leafy spurge	<i>Euphorbia esula</i>
Marsh plume thistle	<i>Cirsium palustre</i>

Meadow buttercup	<i>Ranunculus acris</i>
Meadow goat's-beard	<i>Tragopogon pratensis</i>
Meadow knapweed	<i>Centaurea debeauxii</i>
Milk thistle	<i>Silybum marianum</i>
Mossy stone crop	<i>Sedum acre</i>
Mountain bluet	<i>Centaurea montana</i>
Mullein	<i>Verbascum thapsus</i>
Night flowering catchfly	<i>Silene noctiflora</i>
Nodding thistle	<i>Carduus nutans</i>
Old man's beard	
Orange hawkweed	<i>Hieracium aurantiacum</i>
Oxeye daisy	<i>Chrysanthemum leucanthemum</i>
Plumeless thistle	<i>Carduus acanthoides</i>
Poison Hemlock	<i>Conium maculatum</i>
Policeman's helmet / Himalayan balsam	<i>Impatiens glandulifera</i>
Purple loosestrife	<i>Lythrum salicaria</i>
Redroot amaranth / rough pigweed	<i>Amaranthus retroflexus</i>
Russian knapweed	<i>Acroptilon repens</i>
Russian thistle	<i>Salsola kali</i>
Scentless chamomile	<i>Matricaria maritima</i>
Scotch Broom	<i>Cytisus scoparius</i>
Scotch thistle	<i>Onopordum acanthium</i>
Sheep sorrel	<i>Rumex acetosella</i>
Shepherd's purse	<i>Capsella bursa-pastoris</i>
Sow thistle species	<i>Sonchus spp.</i>
Spanish bluebells	<i>Hyacinthoides hispanica</i>
Spotted Hawkweed	<i>Hieracium maculatum</i>
Spotted knapweed	<i>Centaurea stoebe</i>
St. John's wort/Saint John's wort/ Goatweed	<i>Hypericum perforatum</i>
Sulphur cinquefoil	<i>Potentilla recta</i>
Tansy ragwort	<i>Senecio jacobaea</i>
Tartary buckwheat	<i>Fagopyrum tataricum</i>
Western goat's beard	<i>Tragopogon dubius</i>
Whiplash hawkweed	<i>Hieracium flagellare</i>
White cockle	<i>Silene latifolia</i>
Wild buckwheat	<i>Polygonum convolvulus</i>
Wild carrot/Queen annes lace	<i>Daucus carota</i>
Wild Chervil	<i>Anthriscus sylvestris</i>
Wild mustard	<i>Sinapis arvensis</i>
Wormwood/absinthium	<i>Artemisia absinthium</i>
Yellow archangel	<i>Lamium galeobdolon</i>
Yellow flag iris	<i>Iris pseudacorus</i>
Yellow floating heart	<i>Nymphoides peltata</i>
Yellow hawkweeds	<i>Hieracium spp.</i>
Yellow loosestrife	<i>Lysimachia vulgaris</i>
Yellow toadflax	<i>Linaria vulgaris</i>

Bulkley IPMA

Provincial - Regional EDRR	High Priority	Lower Priority
Black knapweed (1 site)	Common tansy (791 sites)	Annual hawksbeard
Blueweed (2 sites)	Field scabious (231 sites)	Annual sow thistle
Chicory (8 sites)	Mountain bluet (83 sites)	Bachelor's button
Chilean tarweed (1 site)	Policemans helmet /himalayan balsam (11 sites)	Bladder campion
Common bugloss (2 sites)	Spotted knapweed (75 sites)	Bull thistle
Cypress spurge (3 sites)	St. John's wort/Saint John's wort/ Goatweed (16 sites)	Burdock species
Diffuse knapweed (1 site)	Yellow floating heart (37 sites)	Canada thistle
Goutweed/bishops weed (1 site)		Common comfrey
Greater knapweed (1 site)		Common hawkweed
Hoary alyssum (2 sites)		Creeping buttercup
Japanese knotweed (4 sites)		Curled dock
Leafy spurge (2 sites)		Dalmatian toadflax
Marsh plume thistle (1 site)		Dame's rocket
Nodding thistle (1 site)		Groundsel
Scotch thistle (2 sites)		King devil hawkweed
Spotted Hawkweed (4 sites)		Meadow buttercup
Sulphur cinquefoil (9 sites)		Meadow hawkweed
Tansy ragwort (1 site)		Mullein
Yellow iris (10 sites)		Old man's beard
Meadow goat's-beard (3 sites)		Orange hawkweed
		Oxeye daisy
		Perennial sow thistle
		Queen devil hawkweed
		Scentless chamomile
		Sow thistle species
		Spotted hawkweed
		Tall hawkweed
		Western goat's beard
		Yellow common toadflax
		Yellow devil hawkweed
		Yellow hawkweed
		Yellow hawkweed species
		Wormwood (24 sites)

Lakes District IPMA

Regional - Provincial EDRR	High Priority	Lower Priority
Baby's-breath (1 site)	Common tansy (302 sites)	Annual hawksbeard
Bighead knapweed (1 site)	Knapweed species (1 site)	Annual sow thistle
Black knapweed (3 sites)	Meadow goat's-beard (11 sites)	Bull thistle
Chicory (1 site)	Mountain bluet (129 sites)	Burdock species
Cypress spurge (3 sites)	Spotted knapweed (60 sites)	Canada thistle
Diffuse knapweed (2 sites)		Common comfrey
Field scabious (6 sites)		Curled dock
Kochia (2 sites)		Dalmatian toadflax
Leafy spurge (3 sites)		Field Bindweed
Meadow knapweed (2 sites)		Meadow buttercup
St. John's wort/Saint John's wort/ Goatweed (6 sites)		Mullein
Queen Annes lace (6 sites)		Orange hawkweed
		Oxeye daisy
		Perennial sow thistle
		Scentless chamomile
		Sheep sorrel
		Sow thistle species
		Tall hawkweed
		Western goat's-beard
		White cockle
		Yellow devil hawkweed
		Yellow hawkweed
		Yellow hawkweed species
		Yellow/common toadflax

Haida Gwaii IPMA

Provincial - Regional EDRR	High Priority	Lower Priority
Bighead knapweed (1 site)	Bohemian knotweed (15 sites)	Annual sow thistle
Butterfly bush (1 site)	Common tansy (56 sites)	Bull thistle
Cutleaf blackberry (4 sites)	Cudweed (15 sites)	Burdock species
Cypress spurge (1 site)	Gorse (27 sites)	Canada thistle
Diffuse knapweed (1 site)	Himalayan blackberry (22 sites)	Common comfrey
English holly (7 sites)	Himalayan knotweed (40 sites)	Curled dock
English ivy (5 sites)	Japanese knotweed (51 sites)	Eyebright
Garden yellow loosestrife (1 site)	Scotch broom (234 sites)	Groundsel
Himalayan balsam/Policemans helmet (2 sites)	St. John's wort/Saint John's wort/ Goatweed (8 sites)	Hairy cat's-ear
Marsh plume thistle (1 site)	Tansy ragwort (23 sites)	Nightshade
Mountain bluet (3 sites)	Yellow archangel (18 sites)	Oxeye daisy
Orange hawkweed (5 sites)	Yellow iris (32 sites)	Perennial sow thistle
Spotted hawkweed (3 sites)		Sow thistle species
Spotted knapweed (2 sites)		Wild buckwheat
		Yellow/common toadflax
Yellow hawkweed (5 sites)		Wormwood (7 sites)
Yellow hawkweed species (3 sites)		

Nechako IPMA

Provincial - Regional EDRR	High Priority	Lower Priority
Baby's breath (4 sites)	Common tansy (570 sites)	Annual hawksbeard
Blueweed (1 site)	Field scabious (245 sites)	Annual sow thistle
Brown knapweed (10 sites)	Himalayan balsam/policemans helmet (15 sites)	Bachelor's button
	Meadow goats-beard (24 sites)	Bladder campion
Chicory (1 site)	Mountain bluet (39 sites)	Bull thistle
Chilean tarweed (1 site)	Spotted knapweed (62 sites)	Burdock species
	St. John's wort/ Goatweed (13 sites)	Canada thistle
Japanese knotweed (1 site)		Curled dock
Leafy spurge (8 sites)		Dalmatian toadflax
Marsh plume thistle (5 sites)		Dames rocket
Meadow knapweed (2 sites)		Field bindweed
Nodding thistle (1 site)		Meadow buttercup
Sulphur cinquefoil (2 sites)		Meadow hawkweed
Tansy ragwort (1 site)		Mullein
Whiplash hawkweed (2 site)		Orange hawkweed
		Oxeye daisy
		Perennial sow thistle
		Poison Hemlock
		Queen devil hawkweed
		Scentless chamomile
		Sow thistle species
		Tall hawkweed
		Western goat's-beard
		White cockle
		Wormwood (17 sites)
		Yellow common toadflax
		Yellow devil hawkweed
		Yellow hawkweed
		Yellow hawkweed species

Prince George IPMA

Provincial - Regional EDRR	High Priority	Lower Priority
Baby's breath (2 sites)	Brown knapweed (13 sites)	Annual hawksbeard
Bighead knapweed (1 site)	Chicory (37 sites)	Annual sow thistle
Blueweed (5 sites)	Common tansy (1172 sites)	Bachelor's button
Bohemian knotweed (8 sites)	Cypress spurge (18 sites)	Bladder campion
Chilean tarweed (2 sites)	Diffuse knapweed (15 sites)	Bull thistle
Common bugloss (1 site)	Himalayan balsam (33 sites)	Burdock species
Field scabious (5 sites)	Hoary alyssum (12 sites)	Canada thistle
Garden yellow loosestrife (1 site)	Japanese knotweed (63 sites)	Common comfrey
Greater knapweed (1 site)	Knapweed species (4 sites)	Creeping buttercup
Green foxtail (5 sites)	Leafy spurge (34 sites)	Curled dock
Kochia (3 sites)	Marsh plume thistle (843 sites)	Dalmatian toadflax
Large yellow loosestrife (2 sites)	Meadow goat's-beard (78 sites)	Dames's rocket
Meadow knapweed (3 sites)	Mountain bluet (137 sites)	Eyebright
Purple loosestrife (1 site)	Nodding thistle (18 sites)	Field bindweed
Queen Anne's lace/Wild carrot (1 site)	Spotted knapweed (218 sites)	Groundsel
Russian knapweed (1 site)	St. John's wort/Saint John's wort/ Goatweed (57 sites)	Hairy cat's-ear
Russian thistle (2 sites)		King devil hawkweed
Scotch broom (1 site)		Meadow buttercup
Scotch thistle (1 site)		Meadow hawkweed
Spotted hawkweed (4 sites)		Mullein
Sulphur cinquefoil (11 sites)		Night-flowering catchfly
Tansy ragwort (4 sites)		Orange hawkweed
Whiplash hawkweed (8 sites)		Oxeye daisy
Yellow iris (4 sites)		Perennial sow thistle
		Plumeless thistle
		Queen devil hawkweed
		Redroot amaranth / rough pigweed
		Scentless chamomile
		Shepherd's purse
		Sow thistle species
		Tall hawkweed
		Western goat's-beard
		Yellow devil hawkweed
		Yellow hawkweed species
		Yellow hawkweed species
		Yellow/common toadflax
		Wormwood (2 sites)

Robson Valley IPMA

Provincial/Regional EDRR	High Priority	Lower Priority
Bighead knapweed (1site)	Baby's breath (15 sites)	Annual hawksbeard
Blueweed (1 site)	Chicory (51 sites)	Annual sow thistle
Brown knapweed (1 site)	Common tansy (731 sites)	Bladder campion
Cypress spurge (6 sites)	Diffuse knapweed (15 sites)	Bull thistle
Field scabious (1 site)	Hoary alyssum (16 sites)	Canada thistle
Heart-podded hoary cress (4 sites)	Knapweed species (2 sites)	Common comfrey
Meadow goat's-beard (5 sites)	Marsh plume thistle (294 sites)	Common hawkweed
Meadow knapweed (1 site)	Spotted hawkweed (60 sites)	Creeping buttercup
Mountain bluet (5 sites)	Spotted knapweed (610 sites)	Curled dock
Nodding thistle (4 sites)	St. John's wort/Saint John's wort/ Goatweed (15 sites)	Dalmatian toadflax
Policeman's helmet / Himalayan balsam (2 sites)	Whiplash hawkweed (218 sites)	Dame's rocket
Sulphur cinquefoil (5 sites)		King devil hawkweed
Tansy ragwort (1 site)		Meadow buttercup
Yellow archangel (2 sites)		Meadow hawkweed
		Mullein
		Night-flowering catchfly
		Orange hawkweed
		Oxeye daisy
		Perennial sow thistle
		Queen devil hawkweed
		Scentless chamomile
		Sow thistle species
		Western goat's-beard
		White cockle
		Wild mustard
		Yellow hawkweed
		Yellow hawkweed species
		Yellow/Common toadflax
		Wormwood (43 sites)

Skeena IPMA

Provincial/Regional EDRR	High Priority	Lower Priority
Baby's-breath (1 site)	Brown knapweed (85 sites)	Annual hawksbeard
Black knapweed (2 sites)	Common tansy (1814 sites)	Annual sow thistle
Blueweed (5 sites)	Diffuse knapweed (16 sites)	Bull thistle
Bohemian knotweed (2 sites)	Himalayan knotweed (16 sites)	Burdock species
Chicory (4 sites)	Japanese knotweed (346 sites)	Canada thistle
Coltsfoot (1 site)	Knapweed species (29 sites)	Common comfrey
Common bugloss (1 site)	Large yellow loosestrife (29 sites)	Common hawkweed
English holly (4 sites)	Marsh plume thistle (84 sites)	Common periwinkle
English ivy (7 sites)	Mountain bluet (77 sites)	Creeping buttercup
Field scabious (3 sites)	Policeman's helmet / Himalayan balsam (198 sites)	Curled dock
Garden yellow loosestrife (2 sites)	Scotch broom (44 sites)	Dalmatian toadflax
Giant knotweed (8 sites)	Spotted hawkweed (171 sites)	Dame's rocket
Greater knapweed (1 site)	Spotted knapweed (138 sites)	European hawkweed
Hounds-tongue (5 sites)	St. John's wort/Saint John's wort/ Goatweed (562 sites)	Goutweed / Bishop's weed
Japanese butterbur (3 sites)	Tansy ragwort (20 sites)	Groundsel
Nodding thistle (1 site)	Yellow archangel (81 sites)	King devil hawkweed
Sulphur cinquefoil (3 sites)	Yellow iris (17 sites)	Meadow buttercup
Whiplash hawkweed (1 site)		Meadow hawkweed
Wild Chervil (3 sites)		Mullein
		Night flowering catchfly
		Orange hawkweed
		Oxeye daisy
		Perennial sow thistle
		Queen devil hawkweed
		Scentless chamomile
		Sheep sorrel
		Sow thistle species
		Spanish bluebells
		Tall hawkweed
		Tartary buckwheat
		Western goat's-beard
		yellow devil hawkweed
		Yellow hawkweed
		Yellow hawkweed species
		Yellow/Common toadflax
		Wormwood (3 sites)

Stikine IPMA

Provincial/Regional EDRR	High Priority	Lower Priority
Black knapweed (1 site)	Common tansy (326)	Annual hawksbeard
Burdock species (1 site)	Nodding thistle (13 sites)	Annual sow thistle
Dalmation toadflax (2 sites)	Orange hawkweed (24 sites)	Bladder campion
Diffuse knapweed (1 site)	Scentless chamomile (50 sites)	Bull thistle
Field scabious (1 site)	Spotted knapweed (17 sites)	Canada thistle
Marsh plume thistle (1 site)	St. John's wort/Saint John's wort/ Goatweed (12 sites)	Common comfrey
Mountain bluet (10 sites)		Common hawkweed
Whiplash hawkweed (1 site)		Creeping buttercup
		Curled dock
		Dodder
		Groundsel
		Meadow buttercup
		Meadow hawkweed
		Oxeye daisy
		Perennial sow thistle
		Queen devil hawkweed
		Sheep sorrel
		Sow thistle species
		Tall hawkweed
		Western goat's-beard
		Yellow devil hawkweed
		Yellow hawkweed
		Yellow hawkweed species
		Yellow/Common toadflax